

# Apartment Door Station

OEU-301S-HMKA



## Overview

OEU-301S-HMKA apartment door station is one of the terminal equipment of the digital building intercom system, with functions of video intercom, security alarm, video surveillance, etc., providing a safe and comfortable living environment for residents. It can be widely used in apartment building system.

## Features

- Delivered with a recess box for recess mount.
- Built-in heating module supports operation at a very low temperature.
- Metal casing.
- Supports batch configuration.
- Supports call and intercom with the connected indoor stations and apps.
- Supports video monitoring, security alarm, and tamper alarm.
- Built-in IC card reader.

## Specifications

Specification Index	Description
Card Capacity	10000
Maximum Connected Indoor Stations	500

on	
<b>Basic Business</b>	<b>Description</b>
WDR	Support DWDR
Protocol	Private protocol
Button	15 buttons with braille Buttons layout: Row 1: 1/2/3 Row 2: 4/5/6 Row 3: 7/8/9 Row 4: */0/# Row 5: Management center/Call/Cancel
<b>Hardware Specification</b>	<b>Description</b>
FOV	Horizontal: 106.9° Vertical: 56.9° Diagonal: 127.9°
Power Consumption	PoE: 10.73W DC12V: 8.62W
Volume Adjustment	Support
Audio Compression Bitrate	128Kbps
Audio Output	1 x Built-in speaker
Audio Input	1 x Built-in omnidirectional microphone
Audio Quality	Noise suppression, echo cancellation, AGC
Protection Level	IP65 (Apply waterproof glue to the gap between the device and the wall. See the corresponding quick guide for details) IK08
Weight	2.10kg
Mount Method	Wall mount
Interface	Power*1, network port*1, RS485*1, IO input*4, IO output*2, door lock*2 (electric lock/door magnet), door opening button*2, door magnet*2, tamper button*1
Network	100Mbps network port, supports IEEE802.3af PoE power supply
Dimensions (L x W x H)	125mm*358mm*53mm

Power Supply	DC12V $\pm$ 25%, IEEE802.3af PoE power supply
Operating Environment	-40°C to 60°C, 10% to 90%, noncondensing, outdoor
Operating System	Linux
Illuminator	IR light (adaptive)
Screen Size	3.97 inch

## Ordering Info

Product Model	Description
OEU-301S-HMKA	Apartment Door Station(IC Card,15 Keypads)


## Accessories

EP-CS301

301 Door Stations Wall Mounted Sun shade(Metal)



## Dimensions



**Zhejiang Uniview Technologies Co., Ltd.**

No. 369, Xietong Road, Xixing Sub-district, Binjiang District, Hangzhou City, 310051, Zhejiang Province, China (Zhejiang) Pilot Free Trade Zone, China

Email: [overseasbusiness@uniview.com](mailto:overseasbusiness@uniview.com); [globalsupport@uniview.com](mailto:globalsupport@uniview.com)

<http://www.uniview.com>

©2024 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

\*Product specifications and availability are subject to change without notice.

\*Despite our best efforts, technical or typographical errors may exist in this document. Uniview cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.